

you can
Canon

Laser Printers & All-in-Ones



i-SENSYS: set your business free

Whether you need vivid colour or crisp black and white, there is no surer, easier, friendlier or more efficient partner than a Canon laser printer or All-in-One.

Since inventing the desk-top laser printer in 1982 Canon's engineers have pursued their dream of creating the perfect laser product – now realised with Canon's new i-SENSYS range.

Canon lasers produce smoother text, cleaner curves, better-refined greyscales and, in the case of selected models, full glorious colour. From reports to labels, envelopes and transparencies – there is nothing quite as reassuring as having a Canon laser printer at the ready to get the job done. With their 'No Warm-Up Time' feature, they can sit idle all day, consuming virtually no power – and then spring to life the instant they are called to action.

Fast and efficient, i-SENSYS represents simplicity, quality and reliability. By responding quietly and immediately to all you ask of them, i-SENSYS lasers leave you free to do what you do best: run your business – and get on with your life.

Canon's lasers also embody the company's global Kyosei philosophy of living and working in harmony for the common good. From their fully recyclable toner cartridges to energy saving on-demand fixing and ozone emission suppression technology, Canon lasers do their part to keep your workplace clean and safe, while securing the environment for future generations.

Laser Technology

SPEED

For instant first prints, Canon laser products spring to action the moment they are needed. The secret is Canon's On-Demand Fixing Technology, which replaces the slow to warm-up thermal rollers found in conventional machines. Once the printer starts, High Smart Compression Architecture (Hi-SCoA) compresses data in your PC before it is sent to the laser for faster data transfer and lower printer memory requirements.

QUALITY

For crisp, clear output, Canon's Automatic Image Refinement (AIR) technology smoothes rough edges on graphics and text with no impact on speed. As well as toner, the All-in-One Cartridges house all vital components subject to wear – such as the drum and cleaner unit – so every cartridge replacement is like putting a brand new printer on your desk. Canon's oil-less fixing creates glare-free colour output, eliminating greasy reflections caused by oils used by ordinary laser machines.

EASE OF USE

With just one cable and a single software installation for all functions, setting up a Canon laser printer or laser All-in-One could not be simpler. Establishing network connectivity is

equally effortless, whether the device is network-ready or if you use a print server or integrated network board. And because All-in-One Toner Cartridges contain key mechanical components subject to wear, Canon lasers are virtually maintenance free.

ENVIRONMENT

Canon On-Demand Fixing Technology is three times as energy efficient as conventional roller fixing, while Canon's toner cartridge-recycling program reuses or recycles 100% of every cartridge processed. For cleaner, safer and more pleasant workplaces, Canon's energy-efficient charging virtually eliminates the ozone emissions that can be otherwise produced in harmful levels by traditional laser printers.

More productivity in less space

Get everything you need for maximum productivity in the smallest possible space with the compact and stylish i-SENSYS MF4150.

High quality laser printing, professional faxing, copying and colour scanning, with a fast output time so there's no waiting around.

Automatic double-sided printing at the touch of a button comes as standard, ensuring convenience while cutting paper costs. A 35-sheet Automatic Document Feeder and 250-sheet paper cassette add to efficiency. The All-in-One cartridge offers continuous high quality and maintenance-free operation, while optional networking optimises shared productivity.



Photographer: Joerg Letz. Camera: EOS 5D.



Laser Beam Printers



i-SENSYS
LBP5300

This quiet, network ready colour laser printer is designed for frequent, high-quality shared printing. The 21 ppm colour and mono output, large paper capacity, double-sided printing and maintenance-free colour All-in-One cartridges make it ideal for busy workgroups.

- Robust and compact Colour Laser Printer: 21 ppm in colour & mono
- Fast first colour print in approx. 10 seconds
- Maintenance free colour All-in-One cartridges containing S Toner for continuous professional quality
- 9600 x 600 dpi enhanced print resolution
- Virtually no warm-up time and quiet operation due to Colour On-Demand Fixing Technology
- Network ready with Remote User Interface (RUI)
- Automatic double-sided printing as standard
- Large paper capacity: 250-sheet cassette, 100-sheet multi-purpose tray and optional 500-sheet cassette (max. A4)
- USB2.0 Hi-Speed connection
- Windows, Mac* and Linux* compatible

* English only




LASER SHOT LBP5200

The Laser Shot LBP5200 offers the fast, affordable solution for colour and black and white laser printing. Advanced Canon technologies ensure quick output speed, high print quality and extra easy operation – all in a quiet, compact, colour laser printer.

- Compact and affordable Colour Laser Printer
- Fast print speed: 4 ppm in colour, 19 ppm in black & white
- High print quality: 600 x 600 dpi or 9600 x 600 dpi equivalent with Automatic Image Refinement
- No warm-up time or waiting with On-Demand Fixing Technology
- Fast first print out: under 17.6 seconds (mono) due to CAPT* & SCoA**
- Easy-to-use Windows graphical interface & 'sound assist' function
- USB2.0 Hi-Speed connection between printer and PC
- Flexible paper handling and 125-sheet Multi Purpose Tray
- Optional network printing with AXIS 1611 Print Server
- Quiet operation

* CAPT = Canon Advanced Printing Technology

** SCoA = Smart Compression Architecture



i-SENSYS
LBP5000

The Laser Shot i-SENSYS LBP5000 brings speed, simplicity and style to colour laser printing – with convenient, maintenance-free colour All-in-One cartridges. Benefit from fast, professional colour output at 8 ppm, with this smart, quiet and space-saving printer.

- Robust, smart and stylish desktop Colour Laser Printer
- Print speed: 8 ppm in colour & mono
- Maintenance-free with colour All-in-One cartridges
- Print quality: 600 x 600 dpi or 9600 x 600 dpi equivalent
- No warm-up time with Colour On-Demand Fixing Technology plus fast first colour print in under 20 seconds
- Paper capacity: 250 sheets plus optional 250-sheet cassette
- Space-saving design with full frontal operation
- Easy-to-use Windows graphical interface
- USB2.0 Hi-Speed connection between printer and PC
- Network printing with optional Canon Network Board NB-C1



i-SENSYS
LBP3460

The compact Laser Shot i-SENSYS LBP3460 provides a complete out-of-the-box solution for professional quality laser printing. A fast 33 pages per minute print speed is combined with PCL5e/6 compatibility, built-in networking and duplexing and an extensive paper supply.

- 33 ppm heavy-duty Laser Printer
- PCL 5e/6 & UFR II* supported for maximum compatibility
- Built-in networking (TCP/IP) for sharing printer resources
- Built-in duplex unit to provide double sided printing
- No warm-up time and first print ready in 7.7 seconds or less
- Print quality: 600 x 600 dpi or 2400 x 600 dpi equivalent
- Maintenance-free All-in-One cartridge
- 250-sheet cassette and 100-sheet multi-purpose tray plus optional 500-sheet cassette
- USB2.0 Hi-Speed connection between printer and PC
- Stylish, space-saving design with full frontal operation

* Canon's own printer language



i-SENSYS
LBP3360

Share productive, professional output with this solid and compact network-ready Laser Printer. Easy to use and maintain, it has a 21 ppm print speed, practical PCL5e/6 & UFR II* support, cost-saving automatic double-sided printing and an All-in-One cartridge.

- 21 pages per minute Laser Printer
- PCL 5e/6 & UFR II* supported for maximum compatibility
- Network ready: built in interface card
- Built-in duplex unit for double-sided printing
- Virtually no warm-up time, first print out time in less than 9 seconds
- 2400 x 600 dpi enhanced print resolution
- All-in-One cartridge for consistent high quality output & maintenance-free operation. High yield replacement cartridge available.
- 250-sheet cassette + optional 250-sheet cassette (up to A4)
- Windows, Mac** & Linux** compatible;
- USB2.0 Hi-Speed
- Solid, stylish design with full frontal/top operation

* Canon's own printer language

** English only



i-SENSYS
LBP3300

Benefit from a fast 21 pages per minute print speed and professional laser output with the Laser Shot i-SENSYS LBP3300. Productive features include standard double sided printing, a flexible paper supply and optional networking – in a space-saving and easy-to-use unit.

- High performance Laser Printer: 21 ppm
- Standard built-in duplex unit for double sided printing
- No warm-up time and first print ready in 9 seconds or less
- Print quality: 600 x 600 dpi or 2400 x 600 dpi equivalent
- Maintenance-free All-in-One cartridge
- Standard 250-sheet cassette plus optional 250-sheet cassette
- Superior processing speed due to CAPT* & SCoA**
- USB2.0 Hi-Speed connection between printer and PC
- Network printing with optional Canon Network Board NB-C1
- Stylish, space-saving design with full frontal operation

* CAPT = Canon Advanced Printing Technology

** SCoA = Smart Compression Architecture



Laser All-in-Ones



LASER SHOT LBP 3200

A compact machine that excels when it comes to speed, efficiency and high-resolution printing. The home office or small to medium-sized business will find the Laser Shot LBP3200 indispensable.

- 18 ppm printing
- 600 x 600 dpi resolution (up to 2400 x 600 dpi with Automatic Image Refinement)
- First print out in less than 10 seconds
- Canon Advanced Printing Technology (CAPT) software
- All-in-One cartridge
- 250-sheet paper cassette
- Windows graphical user interface and Sound Assist function
- USB connectivity



i-SENSYS
LBP3000

Get the print speed you need and the laser quality you expect, with the Laser Shot i-SENSYS LBP3000. Advanced Canon technologies ensure fast output, enhanced print quality and exceptional ease of use. Plus optional network printing makes it even more productive.

- Laser Printer with rapid print speed: 14 ppm
- No warm-up time or waiting with On-Demand Fixing Technology
- Fast first print out: under 9.3 seconds due to CAPT* & SCoA**
- All-in-One cartridge: easy to replace and ensures continuous high quality output
- High print quality: 600 x 600 dpi or 2400 x 600 dpi equivalent with Automatic Image Refinement
- Easy-to-use Windows graphical interface & 'sound assist' function
- Flexible paper handling and 150-sheet Multi Purpose Tray
- Optional network printing with AXIS 1650 Print Server
- Small, stylish and quiet in operation

* CAPT = Canon Advanced Printing Technology
** SCoA = Smart Compression Architecture



i-SENSYS
LBP2900

The small, stylish Laser Shot i-SENSYS LBP2900 produces professional laser prints, quickly and quietly – without waiting and without any worries. Exceptionally easy to use, it delivers consistently high quality output thanks to Canon's convenient All-in-One cartridge.

- Affordable Laser Printer with fast print speed: 12 ppm
- No warm-up time or waiting with On-Demand Fixing Technology
- Fast first print out: under 9.3 seconds due to CAPT* & SCoA**
- All-in-One cartridge: easy to replace and ensures continuous high quality output
- High print quality: 600 x 600 dpi or 2400 x 600 dpi equivalent with Automatic Image Refinement
- Easy-to-use Windows graphical interface & 'sound assist' function
- Flexible paper handling and 150-sheet Multi Purpose Tray
- Optional network printing with AXIS 1650 Print Server
- Small, stylish and quiet in operation

* CAPT = Canon Advanced Printing Technology
** SCoA = Smart Compression Architecture



i-SENSYS
MF8180C

The LaserBase i-SENSYS MF8180C provides professional colour laser printing, copying, scanning and faxing in one compact, cost-cutting unit with built-in networking to add to productivity. It's the ideal solution for all creative businesses where colour is critical.

- Desktop Colour Laser All-in-One: print, fax, copy, scan
- Printing at 2400 x 600 dpi (enhanced)
- 19 ppm/cpm in mono, 4 ppm/cpm in colour with no warm-up time and fast first print out
- Colour scanner: 9600 x 9600 dpi (enhanced)
- Super G3 faxing, 256-page* memory, Ultra High Quality imaging with 256 greyscales
- 50-page Automatic Document Feeder
- 250-sheet paper cassette, 125-sheet multi-purpose tray
- Standard built-in Ethernet interface for network printing/faxing
- Easy to replace toner and drum cartridges
- Simple installation and small footprint

* based on ITU-T Standard Chart No. 1



i-SENSYS
MF6580PL

The LaserBase i-SENSYS MF6580PL provides fast and high performance laser printing, faxing, copying and colour scanning. The built-in network capability makes it ideal for sharing in small and mid-sized offices.

- Network ready Laser All-in-One: print, fax, copy, scan
- Printer languages: PCL5e, PCL6, Canon UFR-II LT
- 22 ppm/cpm, 1200 x 600 dpi print resolution (enhanced)
- Super G3 fax modem – 1280-page* fax memory and UHQ technology
- Colour scanner – 9600 x 9600 dpi (enhanced)
- 50-page Duplex Automatic Document Feeder & built-in duplex unit for double sided printing and copying
- 500-sheet paper cassette plus 100-sheet multi purpose tray
- All-in-One cartridge
- USB2.0 Hi-Speed interface

* based on ITU-T Standard Chart No. 1




i-SENSYS
MF6560PL
i-SENSYS
MF6550

The LaserBase i-SENSYS MF6560PL/MF6550 deliver high-speed and high-quality and provide the perfect solution for small and mid-sized businesses that need a complete print and communication centre.

- Laser All-in-One: print, fax, copy, scan
- Printer languages: PCL5e, PCL6 (MF6560PL), Canon UFR-II LT
- 22 ppm/cpm, 1200 x 600 dpi print resolution (enhanced)
- Super G3 fax modem – 1280-page* (MF6560PL)/256-page* (MF6550) fax memory and UHQ technology
- Colour scanner – 9600 x 9600 dpi (enhanced)
- 50-page Duplex Automatic Document Feeder & built-in duplex unit for double sided printing and copying
- 500-sheet paper cassette plus 100-sheet multi purpose tray
- All-in-One cartridge
- Optional network connectivity with AXIS 1650 Print Server

* based on ITU-T Standard Chart No. 1





i-SENSYS
MF6540PL

i-SENSYS
MF6530

Benefit from fast, high quality laser printing, copying and colour scanning with the LaserBase i-SENSYS MF6540PL and MF6530. Save time, space and money with this robust, yet stylish All-In-Ones, increasing productivity in small and mid-sized offices.

- Laser All-In-One: print, copy, scan
- Printer languages: PCL5e, PCL6 (MF6540PL), Canon UFR-II LT
- 22 ppm/cpm, 1200 x 600 dpi print resolution (enhanced)
- Colour scanner – 9600 x 9600 dpi (enhanced)
- 50-page Duplex Automatic Document Feeder & built-in duplex unit for double sided printing and copying
- 500-sheet paper cassette plus 100-sheet multi purpose tray
- All-in-One cartridge & USB2.0 Hi-Speed interface
- Robust, space-saving design
- Optional network connectivity with AXIS 1650 Print Server



LaserBase MF5770

LaserBase MF5750

LaserBase MF5730

Space-saving, cost-cutting units delivering high speed, high quality output – and designed for durability and true ease of use.

- Laser All-in-One: printer, colour scanner, copier and fax (fax on MF5770 and MF5750 only)
- Fast 20 ppm/cpm mono, 1200 x 600 dpi printing (enhanced)
- Super G3 fax modem, 3 seconds per page* transmission (MF5770 and MF5750 only)
- Large 256-page* fax memory, UHQ technology (MF5770 and MF5750 only)
- High quality colour scanner – 1200 x 2400 dpi, 48/24 bit colour
- 50-page Automatic Document Feeder, 250-sheet paper cassette
- Built-in network printing via Ethernet on MF5770 (on MF5750/M5730 with optional AXIS 1650 Print Server)
- All-in-One cartridge
- USB2.0 Hi-Speed interface
- Compact, space-saving design

* based on ITU-T Standard Chart No. 1



i-SENSYS
MF4150

This compact Laser All-in-One provides high quality printing, faxing, copying and colour scanning – with a 35-sheet Automatic Document Feeder and automatic double-sided printing. Easy to use and maintain, it offers optional networking for shared productivity.

- Compact and stylish Laser All-in-One: printer, fax, copier and colour scanner
- Virtually no warm-up time – First copy output time in less than 10 seconds
- 20 ppm/cpm, 1200 x 600 dpi printing (enhanced)
- Super G3 fax modem, 256-page* fax memory, UHQ 256 greyscales
- Colour scanner: 9600 x 9600 dpi enhanced, save to PDF functionality
- Productive 35-sheet Automatic Document Feeder and 250-sheet paper cassette (max. A4)
- Automatic double-sided printing as standard
- All-in-One Cartridge: continuous high quality and maintenance-free operation
- Windows & Mac (English version) compatible; USB2.0 Hi-Speed

* based on ITU-T Standard Chart No. 1



i-SENSYS
MF4140

Make quick, high quality laser prints and copies, fax perfectly and scan in colour. Handle everything easily with this compact laser All-in-One. Save time and cut paper costs with automatic double-side printing. Optional networking adds to productivity.

- Laser All-in-One: printer, fax, copier and colour scanner
- Virtually no warm-up time – First copy output time in less than 10 seconds
- 20 ppm/cpm, 1200 x 600 dpi printing (enhanced)
- Super G3 fax modem, 3 seconds per page* transmission 256-page* fax memory, UHQ technology with 256 greyscales
- Colour scanner: 9600 x 9600 dpi enhanced, save to PDF functionality
- Automatic double-sided printing as standard
- 250-sheet paper cassette (max. A4)
- All-in-One Cartridge: continuous high quality and maintenance-free operation
- Windows & Mac (English version) compatible; USB2.0 Hi-Speed
- Compact, stylish design

* based on ITU-T Standard Chart No. 1



i-SENSYS
MF4120

Take advantage of quick, high quality laser printing, copying and colour scanning that is affordable and easy to use. This compact All-in-One features automatic double-sided printing to cut paper costs and save time. Optional networking enhances productivity.

- Affordable Laser All-in-One: printer, copier and colour scanner
- Virtually no warm-up time – first copy output time in less than 10 seconds
- 20 prints/copies per minute
- 1200 x 600 dpi printing (enhanced)
- Colour scanner: 9600 x 9600 dpi enhanced, save to PDF functionality
- Automatic double-sided printing as standard
- 250-sheet paper cassette (max. A4)
- All-in-One Cartridge: continuous high quality and maintenance free operation
- Windows & Mac (English version) compatible; USB2.0 Hi-Speed
- Stylish and compact with small footprint



LaserBase MF3240

LaserBase MF3220

These complete, easy-to-use and affordable multifunctionals bring all the benefits of professional laser printing, faxing*, copying and colour scanning right to your desktop, in one compact unit. Even add on optional networking for optimum shared productivity.

- Affordable Laser All-in-One: print, fax*, copy, scan
- Quick first print/copy from standby mode, under 11 seconds
- 20 ppm/cpm, 1200 x 600 dpi printing (enhanced)
- Super G3 fax modem*, 3 seconds per page** transmission
- 256-page** fax memory*, UHQ technology with 256 greyscales
- Colour scanner: 600 x 1200 dpi, save to PDF functionality
- Flexible paper supply, 250-sheet paper cassette
- All-in-One Cartridge: maintenance free, continuous high quality
- Network print/PC fax*/scan with optional AXIS 1650 Print Server
- USB2.0 Hi-Speed interface

* LaserBase MF3240 only

**based on ITU-T Standard Chart No. 1





Symbol Guide

AXIS COMMUNICATIONS **AXIS NETWORK PRINT ADAPTOR**
Allows direct connection to a network for multi-user network printing.

Automatic Image Refinement **AUTOMATIC IMAGE REFINEMENT**
Makes tight curves smooth and beautiful by delivering the equivalent of 2400 x 600 dpi - with no impact on print speed.

ENERGY STAR
Meets Energy Star requirements.

TWAIN
The industry standard programming interface that allows all popular software applications to communicate with Canon printers.

USB
USB connectivity.

USB CERTIFIED HIGH SPEED
USB connectivity.

SUPER G3 **SUPER G3 FAX MODEM**
33.6 Kbps modem - 3 seconds per page transmission.*

CAPT **CANON ADVANCED PRINTING TECHNOLOGY**
A combination of hardware and software that optimises print data processing for faster print speed.

UHQ **UHQ256**. Ensures exceptional image quality when sending fine text, diagrams and photos. 256 greyscale reproduction produces perfect halftones on faxes and copies.

RECYCLABLE CARTRIDGES
Canon has a worldwide cartridge recycling programme. Material is taken from old cartridges and used to make new ones, saving precious natural resources. Canon's toner cartridge recycling programme is a zero landfill programme in which every component of a used toner cartridge is reused or recycled, saving precious natural resources. (www.canon-europe.com/recycling)

SCoA
SCoA (Smart Compression Architecture) keeps the printer running at full speed by eliminating processor bottlenecks.

ON-DEMAND FIXING TECHNOLOGY
Canon's on-demand fixing technology springs to action when required, for almost no waiting and negligible energy use.

Cartridges and toner

Every single component of Canon's cartridges - including the toner - is purpose built to work in complete harmony with all Canon printer products.

To deliver consistently fine results, Canon has developed advanced S Toner and EF Toner. For exceptional sharpness and beauty, S Toner utilises particles that are uniform in shape and size, with a central wax core that eliminates the need to use oil in the fixing process, giving clearer images that are easier to write on. Working in tandem with Canon's own On-Demand Fixing Technology, Energy-saving Fine Toner (EF Toner) delivers quality results and cuts energy costs.

With their advanced science toners and recyclable precision components, only genuine Canon cartridges are manufactured under the most pristinely clean, dust-free conditions to guarantee consistently pure, crisp and environmentally sound results.



All-in-One cartridge

Canon's All-in-One cartridge contains all of your printer's essential parts, so replacing the toner also performs a free printer maintenance. No mess, no hassle - just continuous high quality output every time. To help protect the environment, all cartridge elements are completely recyclable.

Cartridges Compatibility Chart





	All-in-One Laser Cartridges	EP-27 (84-89A002)	Cartridge 701 BLK (82-87A003)	Cartridge 701 Yel (92-84A003)	Cartridge 701 Mag (92-85A003)	Cartridge 701 Cya (92-86A003)	Cartridge 701 L Yel (92-88A003)	Cartridge 701 L Mag (92-89A003)	Cartridge 701 L Cya (92-90A003)	Cartridge 701 Drum (962-3A003)	Cartridge 703 (7816A005)	Cartridge 706 (0216A002AA)	Cartridge 707 BLK (942-4A004AA)	Cartridge 707 Cya (942-3A001AA)	Cartridge 707 Mag (942-2A004AA)	Cartridge 707 Yel (942-1A004AA)	Cartridge 708 (0216B002AA)	Cartridge 708H (09117B002AA)	Cartridge 710 (0985B001AA)	Cartridge 710H (0986B001AA)	Cartridge 711 BLK (1660B002AA)	Cartridge 711 Yel (1657B002AA)	Cartridge 711 Mag (1658B002AA)	Cartridge 711 Cya (1659B002AA)	FX-10 (02163B002AA)	
LASER BEAM PRINTERS																										
i-SENSYS LBP5300																										
Laser Shot LBP5200			•	•	•	•	•	•	•	•																
i-SENSYS LBP5000													•	•	•	•										
i-SENSYS LBP3460																										
i-SENSYS LBP3360																										
i-SENSYS LBP3300																										
Laser Shot LBP3200		•																								
i-SENSYS LBP3000																										
i-SENSYS LBP2900																										
LASER ALL-IN-ONES																										
i-SENSYS MF8180C			•	•	•	•	•	•	•	•																
i-SENSYS MF6580PL																										
i-SENSYS MF6560PL																										
i-SENSYS MF6550																										
i-SENSYS MF6540PL																										
i-SENSYS MF6530																										
LaserBase MF5770/MF5750/MF5730		•																								
i-SENSYS MF4150																										
i-SENSYS MF4140																										
i-SENSYS MF4110																										
LaserBase MF3240		•																								
LaserBase MF3220		•																								








Photographer: Rui Manuel Teles Gomes. Camera: EOS 300D.

* Based on ITU-T Standard Chart No.1

Laser Beam Printers Specifications Chart

				
PRINTING METHOD AND QUALITY	i-SENSYS LBP5300	Laser Shot LBP5200	i-SENSYS LBP5000	i-SENSYS LBP3460
Printing Method	Colour Laser beam printing with built-in duplex unit	Colour Laser beam printing	Colour Laser beam printing	Monochrome Laser beam printing with built-in duplex unit
Printer Language	CAPT (Canon Advanced Printing Technology)	CAPT (Canon Advanced Printing Technology)	CAPT (Canon Advanced Printing Technology)	PCL5e/PCL6 and UFR II
Resolution	600 x 600 dpi (max. 9600 x 600 dpi with AIR)	600 x 600 dpi (max. 9600 x 600 dpi with AIR)	600 x 600 dpi (max. 9600 x 600 dpi with AIR)	600 x 600 dpi (max. 2400 x 600 dpi with AIR)
PRINT SPEED				
Mono Text	Mono: 21 ppm A4 Colour: 21 ppm A4	Mono: 19 ppm A4 Colour: 4 ppm A4	Mono: 8 ppm A4 Colour: 8 ppm A4	33 ppm A4
MEDIA HANDLING AND SUPPORT				
Paper Size	A4, B5, A5, LTR, Executive, Envelope Custom paper: width 76.2 - 215.9mm, length 127.0 - 355.6mm	Multi-purpose tray: A4, B5, A5, LTR, Executive, Envelope C5/COM10/DL, Monarch, B5, Index Card, Custom paper: (width 76.2 - 215.9mm, length 127.0 - 355.6mm)	A4, B5, A5, LTR, Executive, Envelope C5/COM10/DL, Monarch, B5, Index Card, Custom paper: (width 76.2 - 215.9mm, length 127.0 - 355.6mm)	A4, B5, A5, LTR, Executive, Envelope C5/COM10/DL, Monarch, B5, Custom paper: (width 148.0 to 215.9mm; length 210.0 - 355.6mm)
Media Weight	64 - 135 g/m ²	64 - 135 g/m ²	64 - 135 g/m ²	64 - 135 g/m ²
Media Handling	250 sheet paper cassette/100 sheets Multi-purpose tray (64g/m ²) (+500 sheet optional cassette)	Multi-purpose tray: 125 sheets (64 g/m ²) (+250-sheet optional cassette)	250 sheet paper cassette/1-sheet manual (+250-sheet optional cassette)	250 sheet paper cassette (+500-sheet cassette optional)
Paper Output	250 sheets	125 sheets (face-down), 1 sheet (face-up)	125 sheets (face-down)	250 sheets (face-down)
Memory	16MB	8MB + SCoA	8MB + SCoA	64MB
TONER CARTRIDGE INFORMATION				
Toner Cartridge Life	Cartridge 711 Bk: 6,000 pages (A4, at 5% coverage) Cartridge 711 C/M/Y: 6,000 pages (A4, at 5% coverage)	Cartridge 701 Bk: 5,000 pages (A4, at 5% coverage) Cartridge 701 C/M/Y: 2,000 pages (A4, at 5% coverage)	Cartridge 707 Bk: 2,500 pages (A4, at 5% coverage) Cartridge 707 C/M/Y: 2,000 pages (A4, at 5% coverage)	Cartridge 710: 6,000 pages Cartridge 710H: 12,000 pages (A4, based on ISO/IEC19752)
DEVICE CHARACTERISTICS				
Interface	Standard: USB 2.0 Hi-Speed	Standard: USB 2.0 Hi-Speed	Standard: USB 2.0 Hi-Speed	Standard: USB 2.0 Hi-Speed
Dimensions (W x D x H)	412 x 453 x 437.7mm	482 x 451 x 325mm	407 x 365 x 374mm	445 x 410 x 273mm
Weight	Approx. 22kg (without cartridge)	17kg (without toner cartridge & drum)	Approx. 16kg (without cartridge)	Approx. 16.1kg (without cartridge)
POWER				
Consumption	Standby Printing Approx. 4.5W Approx. 4.15W	Approx. 13.7W Approx. 4.05W	Approx. 18W Approx. 20.7W	Approx. 11W Approx. 5.72W
Acoustic Noise Levels	Max. 53dB(A) or less (during operation)	Max. 54dB	Max. 50dB(A) or less (during operation)	Max. 52dB(A) or less (during operation)
OPERATING ENVIRONMENT				
Temperature Range	10 - 30°C	10 - 30°C	10 - 30°C	10 - 30°C
Humidity	10 - 80% RH	10 - 80% RH	10 - 80% RH	10 - 80% RH
OPERATING SYSTEM REQUIREMENTS				
Operating Systems	Windows® 98/ME/NT 4.0/2000/XP/Server 2003 Mac OS X (English and online distribution only)/ Linux (English and online distribution only)	Windows® 95/98/NT 4.0/ME/2000 Professional/XP/Server 2003 Mac OS X (Version v10.3.x, v10.4.x, English and online distribution only)	Windows® 98/ME/2000/XP/Server 2003 Mac OS X (Version v10.3.x, v10.4.x, English and online distribution only)/ Linux (English and online distribution only)	Windows® 98/NT 4.0 Workstation & Server/ME/2000/XP/Server 2003/Solaris Version 1.1.x (SunOS Version 4.1.x) or later/Solaris Version 2.5.x (SunOS Version 5.5.x) or later/HP-UX Version 10.x or later/IBM AIX version 4.x or later/Linux/ Citrix MetaFrame XP & 1.8 & Presentation Server 3.0, Citrix Presentation Server 4.0/ Windows 2000 Server/ Windows 2000 Advanced Server/ Windows Server 2003 Enterprise Edition/ Netware (Option)
Network Connectivity	Canon 10 Base-T/100Base-TX	Optional Axis 1611 10/100 Base-TX Network Server	Optional Canon Network Board NB-C1	Canon 10 Base-T/100Base-TX

Laser Beam Printers Specifications Chart

					
PRINTING METHOD AND QUALITY	i-SENSYS LBP3360	i-SENSYS LBP3300	Laser Shot LBP3200	i-SENSYS LBP3000	i-SENSYS LBP2900
Printing Method	Monochrome Laser beam printing with built-in duplex unit	Monochrome Laser beam printing with built-in duplex unit	Monochrome Laser beam printing	Monochrome Laser beam printing	Monochrome Laser beam printing
Printer Language	PCL5e/PCL6 and UFR II	CAPT (Canon Advanced Printing Technology)	CAPT (Canon Advanced Printing Technology)	CAPT (Canon Advanced Printing Technology)	CAPT (Canon Advanced Printing Technology)
Resolution	600 x 600 dpi (max. 2400 x 600 dpi with AIR)	600 x 600 dpi (max. 2400 x 600 dpi with AIR)	600 x 600 dpi (max. 2400 x 600 dpi with AIR)	600 x 600 dpi (max. 2400 x 600 dpi with AIR)	600 x 600 dpi (max. 2400 x 600 dpi with AIR)
PRINT SPEED					
Mono Text	21ppm A4	21 ppm A4	18 ppm A4	14 ppm A4	12 ppm A4
MEDIA HANDLING AND SUPPORT					
Paper Size	A4, B5, A5, LTR, Executive, Envelope C5/COM10/DL, Monarch, B5, Index Card Custom paper: (width 76.2 - 215.9mm, length 127.0 - 355.6mm)	A4, B5, A5, LTR, Executive, Envelope C5/COM10/DL, Monarch, B5, Index Card, Custom paper: (width 76.2 - 215.9mm, length 127.0 - 355.6mm)	Plain paper: A4, Letter, Executive, B5 Special paper: transparency films, labels, envelopes, postcards, index cards, coloured paper	Multi-purpose tray: A4, B5, A5, LTR, Executive, Envelope C5/COM10/DL, Monarch, Custom Paper (width 76.2 - 215.9mm, length 127.0 - 355.6mm) for Manual Feed only	Multi-purpose tray: A4, B5, A5, LTR, Executive, Envelope C5/COM10/DL, Monarch, Custom paper (width 76.2 - 215.9mm, length 127.0 - 355.6mm) for Manual Feed only
Media Weight	64 - 135 g/m ²	64 - 135 g/m ²	64 - 163 g/m ²	64 - 163 g/m ²	64 - 163 g/m ²
Media Handling	250 sheet paper cassette / 1-sheet manual sheet slot	250 sheet paper cassette / 1-sheet manual sheet slot	Multi-purpose tray: 250 sheets	Multi-purpose tray: approx. 150 sheets	Multi-purpose tray: approx. 150 sheets
Paper Output	125 sheets (face-down) 1 sheet (+250-sheet optional cassette)	125 sheets (face-down) 1 sheet	100 sheets (face-down), 1 sheet (face-up)	100 sheets (face-down)	100 sheets (face-down)
Memory	64MB	8MB + SCoA	2MB + SCoA	2MB + SCoA	2MB + SCoA
TONER CARTRIDGE INFORMATION					
Toner Cartridge Life	Cartridge 708: 2,500 pages Cartridge 708H: 6,000 pages (A4, based on ISO/IEC19752)	Cartridge 708: 2,500 pages Cartridge 708H: 6,000 pages (A4, based on ISO/IEC19752)	EP-27 cartridge: 2,500 pages (A4, based on ISO/IEC19752)	Cartridge 703: 2,000 pages (A4, based on ISO/IEC19752)	Cartridge 703: 2,000 pages (A4, based on ISO/IEC19752)
DEVICE CHARACTERISTICS					
Interface	Standard: USB 2.0 Hi-Speed	Standard: USB 2.0 Hi-Speed	Standard: USB 2.0 Hi-Speed	Standard: USB 2.0 Hi-Speed	Standard: USB 2.0 Hi-Speed
Dimensions (W x D x H)	400 x 376 x 255mm	369.7 x 257.7 x 375.7mm	367 x 376.3 x 245mm	370 x 251 x 217mm	370 x 251 x 217mm
Weight	Approx. 12kg (without cartridge)	Approx. 11kg (without cartridge)	6.1kg (without cartridge)	5.7kg (without cartridge)	5.7kg (without cartridge)
POWER					
Consumption	Standby Printing Approx. 11W Approx. 4.00W	Approx. 4W Approx. 4.36W	Approx. 7W Approx. 3.60W	Approx. 2W Approx. 2.59W	Approx. 2W Approx. 2.59W
Acoustic Noise Levels	Max. 50.9 dB(A) or less (during operation)	Max. 52.8dB(A) or less (during operation)	Max. 55dB	Max. 48dB	Max. 48dB
OPERATING ENVIRONMENT					
Temperature Range	10 - 32°C	10 - 32°C	7.5 - 32.5°C	10 - 32.5°C	10 - 32.5°C
Humidity	20 - 80% RH	20 - 80% RH	5 - 90% RH	20 - 80% RH	20 - 80% RH
OPERATING SYSTEM REQUIREMENTS					
Operating Systems	Windows® 98/SE/ME/2000/XP/Server 2003/Win x64 bit/ Mac OS X and Linux (English and online distribution only)	Windows® 98/ME/2000 Professional/XP/Server 2003/ Linux (English and online distribution only)	Windows® 98/ME/2000 Professional/XP/Linux (English and online distribution only)	Windows® 98/ME/2000 Professional/XP/Linux (English and online distribution only)	Windows® 98/ME/2000 Professional/XP/Linux (English and online distribution only)
Network Connectivity	10Base-T/100Base-TX	Canon 10/100 Base-TX Ethernet Board NB-C1 as option	Optional Axis 1650 10/100 Base-TX Network Server	Optional Axis 1650 10/100 Base-TX Network Server	Optional Axis 1650 10/100 Base-TX Network Server

Laser All-in-Ones Specifications Chart

			
TYPE	i-SENSYS MF8180C	i-SENSYS MF6580PL	i-SENSYS MF6560PL/MF6550
Machine Type	Colour laser Flatbed All-in-One	Laser Flatbed All-in-One	Laser Flatbed All-in-One
Available Functions	Colour Print, Colour Scan, Colour Copy, Fax, Network Ready	Print, Fax, Copy, Colour Scan, Network	Print, Fax, Copy, Colour Scan
Paper Scanning Type	Flatbed and Automatic Document Feeder	Flatbed and Automatic Document Feeder	Flatbed and Automatic Document Feeder
Body Colour	—	Titanium White	Titanium White
PRINTER FUNCTIONS			
Printing Method	Colour Laser beam printing	Monochrome Laser beam printing with built-in duplex unit	Monochrome Laser beam printing with built-in duplex unit
Printer Language	CARPS (Canon Advanced Raster Printing System)	PCL5e/6, GDI (Canon UFR-II LT) printer language	PCL5e/6 (MF6560PL), GDI (Canon UFR-II LT) printer language
Print Speed	19 ppm mono / 4 ppm colour	22 ppm	22 ppm
Print Resolution	2400 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Printer Memory	128MB	128MB (MF6580PL); 64MB (MF6550)	128MB (MF6560PL); 64MB (MF6550)
Cartridges	Toner cartridge 701 Blk/C/M/Y, Drum cartridge	Cartridge 706	Cartridge 706
Yield	Blk 5,000 pages - C/M/Y 4,000 pages - Drum cartridge 20,000 pages mono / 5,000 pages colour (A4, at 5% coverage)	5,000 pages (based on ISO/IEC19752)	5,000 pages (based on ISO/IEC19752)
Smoothing	2400 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi
Paper Capacity	250 sheets cassette + 125 sheets Multi purpose tray	500 sheets cassette + 100 sheets Multi purpose tray (+500 sheet optional cassette)	500 sheets cassette + 100 sheets Multi purpose tray (+500 sheet optional cassette)
Paper Size	A4, LTR, LGL, Envelope (COM10, Monarch, DL, ISO-5)	A4, LTR, LGL, Envelope (COM10, Monarch, DL, ISO-5)	A4, LTR, LGL, Envelope (COM10, Monarch, DL, ISO-5)
Printing Width	216mm	216mm	216mm
Toner Saver Mode	YES (for mono printing only)	YES	YES
FAX FUNCTIONS			
Stand-alone Fax	YES	YES	YES
PC Fax	YES (TX only)	YES (TX only)	YES (TX only)
Transmission Speed	Approx. 3 seconds per page (based on ITU-T Standard Chart No. 1)	Approx. 3 seconds per page (based on ITU-T Standard Chart No.1)	Approx. 3 seconds per page (based on ITU-T Standard Chart No.1)
Modem Speed	Super G3, 33.6Kbps	Super G3, 33.6Kbps	Super G3, 33.6Kbps
Compression Method	MH, MR, MMR, JBIG	MH, MR, MMR, JBIG	MH, MR, MMR, JBIG
Fax Resolution	Standard, Fine, Super Fine, Ultra Fine	Standard, Fine, Super Fine, Ultra Fine	Standard, Fine, Super Fine, Ultra Fine
Image Processing System	UHQ	UHQ	UHQ
Half-tone	256 grey scale	256 grey scale	256 grey scale
Automatic Document Feeder	50 pages	50 pages (Duplex)	50 pages (Duplex)
Memory Transmission	YES	YES	YES
Fax Memory	256 pages	1,280 pages as max.	1,280 pages as max. (MF6560PL); 256 pages as max. (MF6550)
Memory Back-up	YES (1 hour)	YES (1 hour)	YES (1 hour)
Dual Access	YES	YES	YES
One-touch Dials	18	23	23
Coded Dials	100	100	100
Group Dial	117	122	122
Redial	YES	YES	YES
Answering Machine Hook-up	YES	YES	YES
Remote Reception	YES	YES	YES
Sequential Broadcast	YES (max 119 destinations)	YES (max 124 destinations)	YES (max 124 destinations)
Error Correction Mode (ECM)	YES	YES	YES
Memory Reception	YES	YES	YES
Polling	YES (Manual RX only)	YES (Manual RX only)	YES (Manual RX only)
SCANNER FUNCTIONS			
Scanner Type	Colour Flatbed	Colour Flatbed	Colour Flatbed
Scanner Resolution	1200 x 2400 dpi (9600 x 9600 dpi enhanced)	600 x 600 dpi (9600 x 9600 dpi enhanced)	600 x 600 dpi (9600 x 9600 dpi enhanced)
Colour Scanning Depth	48 bit/24 bit (in/out)	24 bit/24 bit (in/out)	24 bit/24 bit (in/out)
Greyscale Gradation	256 grey scale	256 grey scale	256 grey scale
Compatibility	TWAIN, WIA	TWAIN, WIA	TWAIN, WIA
OCR Bundle	YES	YES	YES
COPIER FUNCTIONS			
Copy Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Copy Modes	Text, Photo, Text and Photo	Text, Photo, Text and Photo	Text, Photo, Text and Photo
Copy Speed	19 copies per minute (mono), 4 copies per minute (colour)	22 copies per minute	22 copies per minute
Multiple Copy	Up to 99 copies	Up to 99 copies	Up to 99 copies
Zoom Ratio	50 - 200%	50 - 200%	50 - 200%
First Copy Output Time (FCOT)	Approx. 22 seconds	Approx. 8 seconds	Approx. 8 seconds
Other Features	Auto Exposure, Collate Copy, Reserve Copy	2-in-1 copy, Duplex copy	2-in-1 copy, Duplex copy
PC INTERFACE AND SOFTWARE			
Interface Type	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed
Supported OS	Windows 98/ME/2000/XP/2003 server (network connection only)	Windows 98/ME/2000/XP Mac OS X (Version 10.2.8 or later, online distribution only)	Windows 98/ME/2000/XP Mac OS X (Version 10.2.8 or later, online distribution only)
Fax Drivers	YES (TX only)	YES (TX only)	YES (TX only)
Printer Drivers	YES	YES	YES
Scan Drivers	YES	YES	YES
Scan to E-mail	YES	YES	YES
Bundled Software	Presto!PageManager, ScanSoft OmniPage SE	Presto!PageManager, ScanSoft OmniPage SE	Presto!PageManager, ScanSoft OmniPage SE
NETWORK FEATURES			
Network Connectivity	YES (built-in)	YES (built-in)	YES (Optional: AXIS Network Print Server)
Type	Ethernet (10BaseT/100BaseT)	Ethernet (10BaseT/100BaseT)	Ethernet (10BaseT/100BaseT)
Network Protocols	TCP/IP (DHCP, BOOTP, RARP, ICMP, DNS, Fixed Address, HTTP)	TCP/IP (DHCP, BOOTP, RARP, ARP+PING, DNS, WINS, IPBlock)	TCP/IP, IPX/SPX, IP
GENERAL SPECIFICATIONS			
Number of Language (LCD message)	15 languages	24 languages	24 languages
Dimensions without Trays (WxDxH)	510 x 512 x 588mm	520 x 420 x 451.9mm	520 x 420 x 451.9mm
Dimensions with Trays (WxDxH)	510 x 512 x 641mm	520 x 420 x 451.9mm	520 x 420 x 451.9mm
Weight	Approx. 36kg	23.7kg	23.7kg
Power Source	200-240V AC, 50-60Hz	200-240V AC, 50-60Hz	200-240V AC, 50-60Hz
Power Consumption	Max: Approx. 1200W Standby: Approx. 35W	Max: Approx. 900W Standby: Approx. 20W	Max: Approx. 900W Standby: Approx. 20W
Acoustic Noise Levels	Standby: under 35dB(A) max During operation: under 54dB(A) max	Standby: under 43dB(A) During operation: under 66dB(A)	Standby: under 43dB(A) During operation: under 66dB(A)

Laser All-in-Ones Specifications Chart

		
TYPE	i-SENSYS MF6540PL/MF6530	LaserBase MF5770/MF5750/MF5730
Machine Type	Laser Flatbed All-in-One	Laser Flatbed All-in-One
Available Functions	Print, Copy, Colour Scan	Print, Fax (MF5770, MF5750), Copy, Colour Scan (+Network on MF5770)
Paper Scanning Type	Flatbed and Automatic Document Feeder	Flatbed
Body Colour	Titanium White	Grey
PRINTER FUNCTIONS		
Printing Method	Monochrome Laser beam printing with built-in duplex unit	Monochrome Laser beam printing
Printer Language	PCL5e/6 (MF6540PL), GDI (Canon UFR-II LT) printer language	CARPS (Canon Advanced Raster printing System)
Print Speed	22 ppm	20 ppm
Print Resolution	600 x 600 dpi	600 x 600 dpi
Printer Memory	128MB (MF6540PL); 64MB (MF6530)	64MB
Cartridges	Cartridge 706	EP-27 Cartridge
Yield	5,000 pages (based on ISO/IEC19752)	2,500 pages (based on ISO/IEC19752)
Smoothing	1200 x 600 dpi	1200 x 600 dpi
Paper Capacity	500 sheets cassette + 100 sheets Multi purpose tray (+500 sheet optional cassette)	250 sheets
Paper Size	A4, LTR, LGL, Envelope (COM10, Monarch, DL, ISO-5)	A4, LTR, LGL, Envelope (COM10, Monarch, DL, ISO-5)
Printing Width	216mm	216mm
Toner Saver Mode	YES	YES
FAX FUNCTIONS		
Stand-alone Fax	—	YES (MF5770, MF5750)
PC Fax	—	YES (TX only) (MF5770, MF5750)
Transmission Speed	—	Approx. 3 sec. per page (based on ITU-T Chart No.1) (MF5770, MF5750)
Modem Speed	—	Super G3, 33.6 Kbps (MF5770, MF5750)
Compression Method	—	MH, MR, MMR, JBIG (MF5770, MF5750)
Fax Resolution	—	Standard, Fine, Super Fine, Ultra Fine (MF5770, MF5750)
Image Processing System	—	UHQ (MF5770, MF5750)
Half-tone	—	256 grey scale (MF5770, MF5750)
Automatic Document Feeder	—	50 pages (MF5770, MF5750)
Memory Transmission	—	YES (MF5770, MF5750)
Fax Memory	—	256 pages (4MB) (MF5770, MF5750)
Memory Back-up	—	YES (Duration - 3 minutes) (MF5770, MF5750)
Dual Access	—	YES (MF5770, MF5750)
One-touch Dials	—	11 (MF5770, MF5750)
Coded Dials	—	100 (MF5770, MF5750)
Group Dial	—	110 (MF5770, MF5750)
Redial	—	YES (MF5770, MF5750)
Answering Machine Hook-up	—	YES (MF5770, MF5750)
Remote Reception	—	YES (MF5770, MF5750)
Sequential Broadcast	—	YES (max 112 destinations) (MF5770, MF5750)
Error Correction Mode (ECM)	—	YES (MF5770, MF5750)
Memory Reception	—	YES (MF5770, MF5750)
Polling	—	YES (Reception only) (MF5770, MF5750)
SCANNER FUNCTIONS		
Scanner Type	Colour Flatbed	Colour Flatbed
Scanner Resolution	600 x 600 dpi (9600 x 9600 dpi enhanced)	1200 x 2400 dpi
Colour Scanning Depth	24 bit/24 bit (in/out)	48 bit/24 bit (in/out)
Greyscale Gradation	256 grey scale	256 grey scale
Compatibility	TWAIN, WIA	TWAIN, WIA
OCR Bundle	YES	YES
COPIER FUNCTIONS		
Copy Resolution	600 x 600 dpi	600 x 600 dpi
Copy Modes	Text, Photo, Text and Photo	Text, Photo, Text and Photo
Copy Speed	22 copies per minute	20 copies per minute
Multiple Copy	Up to 99 copies	Up to 99 copies
Zoom Ratio	50 - 200%	50 - 200%
First Copy Output Time (FCOT)	Approx. 8 seconds	Approx. 14 seconds
Other Features	2-in-1 copy, Duplex copy	—
PC INTERFACE AND SOFTWARE		
Interface Type	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed
Supported OS	Windows 98/ME/2000/XP Mac OS X (Version 10.2.8 or later, online distribution only)	Windows 98/ME/2000/XP
Fax Drivers	YES (TX only)	—
Printer Drivers	YES	YES
Scan Drivers	YES	YES
Scan to E-mail	YES	YES (via PC)
Bundled Software	Presto!PageManager, ScanSoft OmniPage SE	Presto!PageManager, ScanSoft OmniPage SE
NETWORK FEATURES		
Network Connectivity	YES (Optional: AXIS Network Print Server)	YES (MF5770: built-in MF5750/MF5730: optional AXIS Network Print Server)
Type	Ethernet (10BaseT/100BaseT)	Ethernet (10BaseT/100BaseT)
Network Protocols	TCP/IP, IPX/SPX, IP	TCP/IP, IPX/SPX, IP
Others	—	SSL/TLS Support, Multiprotocol support, USB
GENERAL SPECIFICATIONS		
Number of Language (LCD message)	24 languages	15 languages
Dimensions without Trays (WxDxH)	520 x 420 x 451.9mm	486 x 417 x 443mm
Dimensions with Trays (WxDxH)	520 x 420 x 451.9mm	486 x 477 x 509mm
Weight	23.7kg	Approx. 14kg
Power Source	200-240V AC, 50-60Hz	200 - 240V AC, 50 - 60Hz
Power Consumption	Max: Approx. 900W Standby: Approx. 20W	Max: Approx. 900W Standby: 21W
Acoustic Noise Levels	Standby: under 43dB(A) During operation: under 66dB(A)	Standby: 30dB (A) max Copy: under 58dB (A) max

Laser All-in-Ones Specifications Chart



	i-SENSYS MF4150	i-SENSYS MF4140	i-SENSYS MF4120
TYPE			
Machine Type	Laser Flatbed All-in-One	Laser Flatbed All-in-One	Laser Flatbed All-in-One
Available Functions	Print, Copy, Colour Scan, Fax (+ADF)	Print, Copy, Colour Scan, Fax	Print, Copy, Colour Scan
Paper Scanning Type	Flatbed and Automatic Document Feeder	Flatbed	Flatbed
Body Colour	—	—	—
PRINTER FUNCTIONS			
Printing Method	Monochrome Laser beam printing with built-in duplex unit	Monochrome Laser beam printing with built-in duplex unit	Monochrome Laser beam printing with built-in duplex unit
Printer Language	Canon UFR II LT	Canon UFR II LT	Canon UFR II LT
Print Speed	20 ppm	20 ppm	20 ppm
Print Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Printer Memory	32MB	32MB	32MB
Cartridges	FX-10 Cartridge	FX-10 Cartridge	FX-10 Cartridge
Yield	2,000 pages (based on ISO/IEC19752)	2,000 pages (based on ISO/IEC19752)	2,000 pages (based on ISO/IEC19752)
Smoothing	1200 x 600 dpi	1200 x 600 dpi	1200 x 600 dpi
Paper Capacity	250 sheet cassette + 1 sheet manual Multipurpose tray + 35 sheet Automatic Document Feeder	250 sheet cassette + 1 sheet manual Multipurpose tray	250 sheet cassette + 1 sheet manual Multipurpose tray
Paper Size	A4, B5, LTR, LGL, EXE, ENVELOPE, Index Cards	A4, B5, LTR, LGL, EXE, ENVELOPE, Index Cards	A4, B5, LTR, LGL, EXE, ENVELOPE, Index Cards
Printing Width	216mm	216mm	216mm
Toner Saver Mode	Yes	Yes	Yes
FAX FUNCTIONS			
Stand-alone Fax	Yes	Yes	No
PC Fax	Yes	Yes	No
Transmission Speed	Approx. 3 seconds per page (based on ITU-T Chart No.1)	Approx. 3 seconds per page (based on ITU-T Chart No.1)	—
Modem Speed	Super G3, 33.6 Kbps	Super G3, 33.6 Kbps	—
Compression Method	MH, MR, MMR	MH, MR, MMR	—
Fax Resolution	Standard, Fine, Super Fine	Standard, Fine, Super Fine	—
Image Processing System	UHQ	UHQ	—
Half-tone	256 grey scale	256 grey scale	—
Automatic Document Feeder	35 pages	—	—
Memory Transmission	Yes	Yes	—
Fax Memory	256 pages (4MB)	256 pages (4MB)	—
Memory Back-up	No	No	—
Dual Access	Yes	Yes	—
One-touch Dials	7	7	—
Coded Dials	100	100	—
Group Dial	7 (max. 50 locations)	7 (max. 50 locations)	—
Redial	YES (automatic and manual)	YES (automatic and manual)	—
Answering Machine Hook-up	YES	YES	—
Remote Reception	YES	YES	—
Sequential Broadcast	YES (max.123 locations)	YES (max.123 locations)	—
Error Correction Mode (ECM)	YES	YES	—
Memory Reception	YES (256 pages, based on ITU-T Chart No.1)	YES (256 pages, based on ITU-T Chart No.1)	—
Polling	No	No	—
SCANNER FUNCTIONS			
Scanner Type	Colour Flatbed	Colour Flatbed	Colour Flatbed
Scanner Resolution	600 x 1200 dpi (9600 x 9600 dpi enhanced)	600 x 1200 dpi (9600 x 9600 dpi enhanced)	600 x 1200 dpi (9600 x 9600 dpi enhanced)
Colour Scanning Depth	24 bit/24 bit (in/out)	24 bit/24 bit (in/out)	24 bit/24 bit (in/out)
Greyscale Gradation	256 grey scale	256 grey scale	256 grey scale
Compatibility	TWAIN, WIA	TWAIN, WIA	TWAIN, WIA
OCR Bundle	YES	YES	YES
COPIER FUNCTIONS			
Copy Resolution	1200 x 600 dpi with enhancement	1200 x 600 dpi with enhancement	1200 x 600 dpi with enhancement
Copy Modes	Text, Photo, Text and Photo	Text, Photo, Text and Photo	Text, Photo, Text and Photo
Copy Speed	20 copies per minute	20 copies per minute	20 copies per minute
Multiple Copy	Up to 99 copies	Up to 99 copies	Up to 99 copies
Zoom Ratio	50% - 200%	50% - 200%	50% - 200%
First Copy Output Time (FCOT)	9.6 seconds	9.6 seconds	9.6 seconds
Other Features	2-in-1 copy	2-in-1 copy	2-in-1 copy
PC INTERFACE AND SOFTWARE			
Interface Type	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed
Supported OS	Windows 98/ME/2000/XP Mac OS X (Version 10.2.8 - 10.4.6, online distribution only)	Windows 98/ME/2000/XP Mac OS X (Version 10.2.8 - 10.4.6, online distribution only)	Windows 98/ME/2000/XP Mac OS X (Version 10.2.8 - 10.4.6, online distribution only)
Fax Drivers	—	—	—
Printer Drivers	YES	YES	YES
Scan Drivers	YES	YES	YES
Scan to E-mail	YES (via PC)	YES (via PC)	YES (via PC)
Bundled Software	Presto/PageManager, ScanSoft OmniPage SE	Presto/PageManager, ScanSoft OmniPage SE	Presto/PageManager, ScanSoft OmniPage SE
NETWORK FEATURES			
Network Connectivity	YES (with optional Axis 1650 Network Print Server)	YES (with optional Axis 1650 Network Print Server)	YES (with optional Axis 1650 Network Print Server)
Type	Ethernet (10BaseT/100BaseT)	Ethernet (10BaseT/100BaseT)	Ethernet (10BaseT/100BaseT)
Network Protocols	TCP/IP, IPX/SPX, IP	TCP/IP, IPX/SPX, IP	TCP/IP, IPX/SPX, IP
Others	SSL/TLS Support, Multiprotocol support, USB & Parallel	SSL/TLS Support, Multiprotocol support, USB & Parallel	SSL/TLS Support, Multiprotocol support, USB & Parallel
GENERAL SPECIFICATIONS			
Number of Language (LCD message)	17 languages	17 languages	17 languages
Dimensions without Trays (WxDxH)	390 x 432 x 370mm	390 x 432 x 370mm	390 x 432 x 370mm
Dimensions with Trays (WxDxH)	390 x 532 x 455mm	390 x 532 x 455mm	390 x 532 x 455mm
Weight	Approx. 12kg	Approx. 12kg	Approx. 12kg
Power Source	200 - 240V AC, 50 - 60Hz	200 - 240V AC, 50 - 60Hz	200 - 240V AC, 50 - 60Hz
Power Consumption	Sleep: 3W	Sleep: 3W	Sleep: 3W
Acoustic Noise Levels	Information not available at time of printing	Information not available at time of printing	Information not available at time of printing

Laser All-in-Ones Specifications Chart



	LaserBase MF3240	LaserBase MF3220
TYPE		
Machine Type	Laser Flatbed All-in-One	Laser Flatbed All-in-One
Available Functions	Print, Copy, Colour Scan	Print, Copy, Colour Scan
Paper Scanning Type	Flatbed	Flatbed
Body Colour	Grey	Grey
PRINTER FUNCTIONS		
Printing Method	Monochrome Laser beam printing	Monochrome Laser beam printing
Printer Language	CARPS (Canon Advanced Raster printing System)	CARPS (Canon Advanced Raster printing System)
Print Speed	20 ppm	20 ppm
Print Resolution	600 x 600 dpi	600 x 600 dpi
Printer Memory	32MB	32MB
Cartridges	EP-27 Cartridge	EP-27 Cartridge
Yield	2,500 pages (based on ISO/IEC19752)	2,500 pages (based on ISO/IEC19752)
Smoothing	1200 x 600 dpi	1200 x 600 dpi
Paper Capacity	250 sheets	250 sheets
Paper Size	A4, LTR, LGL, Envelope (COM10, Monarch, DL, ISO-5)	A4, LTR, LGL, Envelope (COM10, Monarch, DL, ISO-5)
Printing Width	216mm	216mm
Toner Saver Mode	YES	YES
FAX FUNCTIONS		
Stand-alone Fax	YES	—
PC Fax	YES (TX only)	—
Transmission Speed	Approx. 3 seconds per page (based on ITU-T Standard Chart No.1)	—
Modem Speed	Super G3, 33.6 Kbps	—
Compression Method	MH, MR, MMR	—
Fax Resolution	Standard, Fine, Super Fine	—
Image Processing System	UHQ	—
Half-tone	256 grey scale	—
Automatic Document Feeder	—	—
Memory Transmission	Yes	—
Fax Memory	256 pages (4MB)	—
Memory Back-up	No	—
Dual Access	Yes	—
One-touch Dials	7	—
Coded Dials	100	—
Group Dial	7 (max. 50 locations)	—
Redial	Yes (automatic and manual)	—
Answering Machine Hook-up	Yes	—
Remote Reception	Yes	—
Sequential Broadcast	Yes (max.123 locations)	—
Error Correction Mode (ECM)	Yes	—
Memory Reception	Yes (256 pages, based on ITU-T Chart No.1)	—
Polling	No	—
SCANNER FUNCTIONS		
Scanner Type	Colour Flatbed	Colour Flatbed
Scanner Resolution	600 x 1200 dpi	600 x 1200 dpi
Colour Scanning Depth	48 bit/24 bit (in/out)	48 bit/24 bit (in/out)
Greyscale Gradation	256 grey scale	256 grey scale
Compatibility	TWAIN, WIA	TWAIN, WIA
OCR Bundle	YES	YES
COPIER FUNCTIONS		
Copy Resolution	600 x 600 dpi	600 x 600 dpi
Copy Modes	Text, Photo, Text and Photo	Text, Photo, Text and Photo
Copy Speed	20 copies per minute	20 copies per minute
Multiple Copy	Up to 99 copies	Up to 99 copies
Zoom Ratio	50% - 200%	50% - 200%
First Copy Output Time (FCOT)	Approx. 14 seconds	Approx. 14 seconds
Other Features	2-on-1 copy, electronic collating, scan once - print many	2-on-1 copy, electronic collating, scan once - print many
PC INTERFACE AND SOFTWARE		
Interface Type	USB 2.0 Hi-Speed	USB 2.0 Hi-Speed
Supported OS	Windows 98/ME/2000/XP	Windows 98/ME/2000/XP
Fax Drivers	—	—
Printer Drivers	YES	YES
Scan Drivers	YES	YES
Scan to E-mail	YES (via PC)	YES (via PC)
Bundled Software	Presto/PageManager, ScanSoft OmniPage SE	Presto/PageManager, ScanSoft OmniPage SE
NETWORK FEATURES		
Network Connectivity	YES (with optional Axis 1650 Network Print Server)	YES (with optional Axis 1650 Network Print Server)
Type	Ethernet (10BaseT/100BaseT)	Ethernet (10BaseT/100BaseT)
Network Protocols	TCP/IP, IPX/SPX, IP	TCP/IP, IPX/SPX, IP
Others	SSL/TLS Support, Multiprotocol support, USB	SSL/TLS Support, Multiprotocol support, USB
GENERAL SPECIFICATIONS		
Number of Language (LCD message)	15 languages	15 languages
Dimensions without Trays (WxDxH)	449 x 430 x 369mm	449 x 430 x 369mm
Dimensions with Trays (WxDxH)	449 x 462 x 369mm	449 x 462 x 369mm
Weight	Approx. 11kg	Approx. 11kg
Power Source	200 - 240V AC, 50 - 60Hz	200 - 240V AC, 50 - 60Hz
Power Consumption	Max: 700W Standby: under 20W	Max: 700W Standby: under 20W
Acoustic Noise Levels	Standby: 30dB (A) max. Copy: under 58dB (A) max.	Standby: 30dB (A) max. Copy: under 58dB (A) max.



Service Support

Canon doesn't stop at developing great products, we deliver outstanding after-sales service too. Customers can have complete confidence in their Canon technology with the following benefits;

Helpful, professional Customer Service Advisors

Our team are trained specifically to support Canon products over the phone in order to resolve customers enquiries quickly and efficiently. Customers can call our customer services Helpline on 08705 143723. Lines are open during normal working hours (9am - 5.30pm) and all calls are charged at standard National rates.

Qualified technicians

All technicians receive ongoing product training and are equipped with the tools and resources to provide a first class service.

Original Components

Canon only uses genuine spare parts and components in repairs. This ensures high product performance and protects the product warranty.

Visit www.canon.co.uk for more information.

Canon UK Ltd

Woodhatch
Reigate
Surrey
RH2 8BF
08705 143723
www.canon.co.uk

Canon (Irl) Business Equipment Ltd

Arena Road
Sandyford Industrial Estate
Dublin 18
Ireland
www.canon.ie

Not all products and services are available in all markets. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

All trademarks are acknowledged. All data is based on Canon's standard testing and measuring methods.
Errors and omissions excepted.

Canon reserves the right to change specifications and physical appearance without notice.

All LCD images and print outs shown are simulated for clarity of reproduction.

you can
Canon

Canon Inc.
www.canon.com

Canon Europa NV
www.canon-europe.com

Canon UK Ltd
www.canon.co.uk

Canon (Irl) Business Equipment Ltd
www.canon.ie

Find the perfect fit with **Careers@Canon**
www.canon-europe.com/about_us/careers/

